ELEVATIONS
SCALE: 3/8" = 1'-0"



EXISTING CONDITION



NEW HINGED DOORS
8'-0" x 8'-6"



NEW SLIDING DOORS
10'-0" x 10'-6"



NEW SLIDING DOORS
12'-0" x 10'-6"

JAMBS
SCALE: 3/4" = 1'-0"



SECTION A-A



SECTION C-C



SECTION E-E



SECTION G-G

HEADS
SCALE: 3/4" = 1'-0"



SECTION B-B



SECTION D-D



SECTION F-F
FOR 10'-0" & 12'-0" WIDE DOORS



SECTION H-H
FOR 10'-0" & 12'-0" WIDE DOORS

SILLS
SCALE: 3/4" = 1'-0"

GENERAL NOTES

1. THIS SHEET TO BE USED FOR MODIFICATION OF IGLOOS CONSTRUCTED FROM DRAWINGS 33-15-01
2. GROUND ALL METAL INCLUDING REINFORCING TO EXISTING LIGHTNING PROTECTION SYSTEM
3. EXTEND ALL EXISTING REINFORCING INTO NEW CONCRETE WHERE PRACTICABLE



GRAPHING SCALES

SYMBOL	DESCRIPTION	DATE	APPROVAL
ⓐ	ON SECT. EE & GG DIM. TO SAW CUT REDUCED BY 3"	6 JUN 61	TOD

REVISIONS

LUBLIN, McGAUGHY & ASSOCIATES
ARCHITECTS & ENGINEERS
NORFOLK, VA. WASHINGTON, D. C.

DEPARTMENT OF THE ARMY
OFFICE OF THE CHIEF OF ENGINEERS
MILITARY CONSTRUCTION — ENGINEERING DIVISION
Washington, D. C.

DRAWN BY: TOD
TRACED BY:
CHECKED BY: TOD
SUBMITTED:

MAGAZINES CONCRETE IGLOOS INSTALL LARGER DOORS

REVISION TO EXISTING IGLOOS SHOWN ON DRAWING 33-15-01

DATE: 28 JUN 1961

APPROVED FOR: CHIEF OF ORDNANCE
DATE: 10 May 1960

SCALE: AS NOTED
SPEC. NO. 33-15-62-60 CE
DRAWING NUMBER 33-15-62
SHEET 2