ELEVATIONS
SCALE: 3/8" = 1'-0"



EXISTING CONDITION



NEW HINGED DOORS
7'-6 1/2" x 8'-6"



NEW SLIDING DOORS
10'-0" x 10'-6"



NEW SLIDING DOORS
12'-0" x 10'-6"

JAMBS
SCALE: 3/4" = 1'-0"



SECTION A-A



SECTION C-C



SECTION E-E



SECTION G-G



SECTION X-X

SECTION H-H
FOR 10'-0" & 12'-0" DOORS

HEADS
SCALE: 3/4" = 1'-0"



SECTION B-B



HEAD DETAIL
4 I's ADDED TO
EXISTING DOOR



SECTION D-D



SECTION 1-1



RAMP DETAILS



SECTION F-F
FOR 10'-0" & 12'-0" DOORS

NOTES:
1. SEE SH. 5 FOR SIZE AND SHAPE OF MISC. METAL IN NEW DOOR OPENING
2. THIS SECTION IS IDENTICAL FOR BOTH SLIDING DOORS

SILLS
SCALE: 3/4" = 1'-0"

SECTION B-B

ALTERNATE FOR MODIFYING
EXISTING DOOR
SCALE: 1 1/2" = 1'-0"

NOTE: THIS ALTERNATE IS USED ONLY WHEN FLUSH SILL IS NOT REQUIRED BY USING SERVICE. PROVIDE RAMP IN 2 SECTIONS 2'-6" x 6'-0" LONG



GENERAL NOTES.
1. THIS SHEET TO BE USED FOR MODIFICATION OF IGLOOS CONSTRUCTED FROM DRAWING 33-15-06
2. GROUND ALL METAL INCLUDING REINFORCING TO EXISTING LIGHTENING PROTECTION SYSTEM
3. EXTEND ALL EXISTING REINFORCING INTO NEW CONCRETE WHERE PRACTICABLE

SYMBOL	DESCRIPTION	DATE	APPROVAL
(a)	SLOPE OF SILL TROUGH DELETED SECT. F-F	6 JUN 61	[illegible]

REVISIONS

LUBLIN, McGAUGHY & ASSOCIATES
ARCHITECTS & ENGINEERS
NORFOLK, VA. WASHINGTON, D. C.

DEPARTMENT OF THE ARMY
OFFICE OF THE CHIEF OF ENGINEERS
MILITARY CONSTRUCTION — ENGINEERING DIVISION
Washington, D. C.

DRAWN BY: J E T
TRACED BY:
CHECKED BY: T O D
SUBMITTED:

MAGAZINES CONCRETE IGLOOS
INSTALL LARGER DOORS

REVISION TO EXISTING IGLOOS
SHOWN ON DWG 33 - 15 - 06

DATE: 13 JUN 1960
SCALE: AS NOTED
SPEC. NO. 33-15-62-BOCE
DRAWING NUMBER 33-15-62
SHEET 3