DOOR SCHEDULE

DOOR NUMBER	TYPE	DOOR SIZE WIDTH	DOOR SIZE HEIGHT	DOOR MATERIAL	DOOR FINISH	FRAME TYPE	FRAME MATERIAL	FRAME FINISH	JAMB DETAIL	HEAD DETAIL	SILL DETAIL	HARDWARE	FIRE RATING	STC RATE	REMARKS
0001	RL	10' - 00	10' - 00	ML	1	ML	ML	1	J2	H2	S4	0	N	0	ELEC OPER
0002	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	10	N	0	
0003	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	10	N	0	
0004	RL	10' - 0"	10' - 0"	ML	1	TR	ML	1	J2	H2	S4	0	N	0	ELEC OPER
0005	F	3' - 0"	7' - 0"	HM	1	PR	HM	1	J1	H1	S1	1	N	0	
0006	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0007	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0008	F	3' - 0"	7' - 0"	HM	1	PR	HM	1	J1	H1	S1	1	N	0	
0009	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0010	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0011	F	3' - 0"	0' - 7"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0012	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0013	F	3' - 0"	7' - 0"	ML	1	SS	ML	1	J3	H3	S1	0	N	0	BLAST DOOR
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0000		NOT USED													
0034	FL	6' - 0"	7' - 0"	ML	1	SS	ML	1	H3	J3	S5	0	N	0	BLAST DOORS, NOTE 1
0035	F	3' - 0"	7' - 0"	ML	1	SS	ML	1	H3	J3	S1	0	N	0	BLAST DOOR. NOTE 1
0036	F	6' - 0"	7' - 0"	ML	1	SS	ML	1	H3	J3	S5	0	N	0	BLAST DOORS, NOTE 1
0037	F	6' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0038	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0039	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0040	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0041	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0042	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0043	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0044	F	3' - 0"	7' - 0"	HM	1	PR	ML	1	J1	H1	S1	1	N	0	
0045	PF	10' - 0"	10' - 0"	ML	1	SS	ML	1	J4	H4	S2	5	N	0	SECURITY REINF
0046	PF	10' - 0"	10' - 0"	ML	1	SS	ML	1	J4	H4	S2	5	N	0	SECURITY REINF
0047	PF	10' - 0"	10' - 0"	ML	1	SS	ML	1	J4	H4	S2	5	N	0	SECURITY REINF
0048	PF	10' - 0"	10' - 0"	ML	1	SS	ML	1	J4	H4	S2	5	N	0	SECURITY REINF
0049	PF	10' - 0"	10' - 0"	ML	1	SS	ML	1	J4	H4	S2	5	N	0	SECURITY REINF
0050	PF	10' - 0"	10' - 0"	ML	1	SS	ML	1	J4	H4	S2	5	N	0	SECURITY REINF
0051	F	5' - 0"	8' - 2"	ML	1	SS	ML	1	NOTE 3	NOTE 3	NOTE 3	6	N	0	BLAST DOOR, ELEC OPER
0052	F	5' - 0"	8' - 2"	ML	1	SS	ML	1	NOTE 3	NOTE 3	NOTE 3	6	N	0	BLAST DOOR, ELEC OPER
0053	N	3' - 0"	7' - 0"	HM	1	PR	ML	1	J6	H6	S2	8	N	0	
0054	PF	6' - 0"	7' - 0"	HM	1	PR	ML	1	J5	H5	S2	7	N	0	
0055	N	3' - 0"	7' - 0"	HM	1	PR	ML	1	J6	H6	S2	8	N	0	
0056	N	3' - 0"	7' - 0"	HM	1	PR	ML	1	J6	H6	S2	4	N	0	
0057	L	3' - 0"	7' - 0"	HM	1	PR	ML	1	J7	H5	S3	4	N	0	
0058	F	3' - 0"	7' - 0"	ML	1	SS	ML	1	J5	H5	S0	6	E	0	
0059	L	3' - 0"	7' - 0"	HM	1	PR	ML	1	J7	H5	S3	4	N	0	
0060	N	3' - 0"	7' - 0"	HM	1	PR	ML	1	J6	H6	S2	4	N	0	
0061	PF	6' - 0"	7' - 0"	HM	1	PR	ML	1	J6	H6	S2	7	N	0	

DOOR NUMBER	TYPE	DOOR SIZE WIDTH	DOOR SIZE HEIGHT	DOOR MATERIAL	DOOR FINISH	FRAME TYPE	FRAME MATERIAL	FRAME FINISH	JAMB DETAIL	HEAD DETAIL	OPPOSITE JAMB DETAIL	HARDWARE	FIRE RATING	STC RATE	REMARKS



ABBREVIATIONS

E - 3/4 HOUR FIRE RATING
HM - HOLLOW METAL
ML - METAL
N - NO FIRE RATING
PR - PRESSED
SS - STRUCTURAL STEEL
TR - TRACK

NOTES:

1. DETAILS TO BE PROVIDED BY THE DOOR MANUFACTURER.
2. FINISH DESIGNATION "1" INDICATES PAINT COLOR NO. 20095. (BROWN)
3. SEE STRUCTURAL DRAWINGS FOR DOOR AND FRAME DESIGN.
4. SEE FEDERAL STANDARD NO. 515A FOR COLOR NUMBERS.
5. SEE SHEET A-13 FOR DOOR DETAILS.
6. SEE STRUCTURAL DRAWINGS FOR DETAILS OF BLAST DOORS NOS. 51 AND 52.

Symbol	Description	Date	Approved
	Revisions		

US ARMY ENGINEER DIVISION HUNTSVILLE
CORPS OF ENGINEERS
HUNTSVILLE, ALABAMA

Site adapt A/E :

US Army Corps of Engineers

STANDARD DESIGN
AMMUNITION SURVEILLANCE FACILITY
DOOR SCHEDULE

Dwn. by : LR
Ckd. by : JR
Reviewed by : JFS
Date :
Approved by :
Drawing code : STD 216-12-01
Sheet reference number : A-12
Design file no. :
Rev.
Sheet of